

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	REC Solar Pte. Ltd.	<b>Manufacturer:</b>	REC Solar Pte. Ltd.
<b>Address:</b>	20 Tuas South Avenue 14, 637312	<b>Address:</b>	20 Tuas South Avenue 14, 637312
<b>Country:</b>	Singapore	<b>Country:</b>	Singapore
<b>Party Authorized To Apply Mark:</b>	Same as Manufacturer		
<b>Report Issuing Office:</b>	Intertek Testing Services Shanghai Limited		
<b>Control Number:</b>	<u>5017774</u>	<b>Authorized by:</b>	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<b>Standard(s):</b>	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [CSA C22.2#61730-2:2019 Ed.2]
<b>Product:</b>	Crystalline Silicon Photovoltaic modules
<b>Brand Name:</b>	REC

**Models:**

REC followed by 295, 300, 305, 310, 315, 320, 325, 330 or 335; followed by NP; may be followed by BLK, BLK2 or Black.

REC followed by 365, 370, 375, 380, 385, 390, 395 or 400; followed by NP 72; may be followed by BLK.

REC followed by 365, 370, 375, 380, 385, 390, 395 or 400; followed by NP 72 XV; may be followed by BLK.

REC followed by 260, 265, 270, 275, 280, 285, 290, 295, 300, 305, 310, 315, 320, 325 or 330; followed by TP2; may be followed by BLK, BLK2 or Black.

REC followed by 310, 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by TP2S 72; may be followed by BLK.

REC followed by 310, 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by TP2S 72 XV; may be followed by BLK.

REC followed by 275, 280, 285, 290, 295, 300, 305, 310, 315, 320, 325, 330 or 335; followed by TP2M; may be followed by BLK, BLK2 or Black.

REC followed by 350, 355, 360, 365, 370, 375, 380, 385, 390, 395 or 400; followed by TP2SM 72; may be followed by BLK.

REC followed by 350, 355, 360, 365, 370, 375, 380, 385, 390, 395 or 400; followed by TP2SM 72 XV; may be followed by BLK.

REC followed by 340, 345, 350, 355, 360, 365, 370, 375, 380 or 385; followed by AA; may be followed by BLK, BLK2 or Black.

REC followed by 295, 300, 305, 310, 315, 320, 325, 330, 335 or 340; followed by TP3M; may be followed by BLK, BLK2 or Black.

REC followed by 365, 370, 375, 380, 385, 390, 395, 400 or 405; followed by TP3SM 72; may be followed by BLK.

REC followed by 365, 370, 375, 380, 385, 390, 395, 400 or 405; followed by TP3SM 72 XV; may be followed by BLK.

REC followed by 420, 425, 430, 435, 440, 445 or 450; followed by AA 72; may be followed by BLK.

REC followed by 420, 425, 430, 435, 440, 445 or 450; followed by AA 72 XV; may be followed by BLK.

REC followed by 335, 340, 345, 350, 355, 360, 365 or 370; followed by NP; followed by Plus; may be followed by Black.

REC followed by 340, 345, 350, 355, 360 or 365; followed by TP; followed by Plus; may be followed by Black.

REC followed by 350, 355, 360, 365, 370, 375 or 380; followed by TP4; may be followed by Black.

REC followed by 380, 385, 390, 395, 400, 405, 410 or 415; followed by AA Pure.

REC followed by 345, 350, 355, 360, 365, 370, 375 or 380; followed by NP2; may be followed by Black.

REC followed by 380, 385, 390, 395, 400, 405, 410 or 415; followed by AA Pure-P.

REC followed by 390, 400, 410, 420, or 430; followed by AA Pure-R.

REC followed by 380, 390, 400 or 410; followed by NP3; may be followed by Black.

REC followed by 390, 395, 400, 405 or 410; followed by TP5; may be followed by Black.

REC followed by 400, 410, 420 or 430; followed by AA Pure 2; may be followed by -W.

REC followed by 420, 430, 440, 450; followed by AA Pure-RX.